

SHARP®

11452/SHA
BuyLine 8637

M I C R O W A V E O V E N S

You Won't Believe What They Can Do



Carousel®

R-530ES, R-430CS

Sharp Carousel® Microwave Ovens lead the industry in styling and feature innovations. These elegant large capacity stainless steel microwave ovens convey the sophisticated look of a product with smart, innovative engineering. Designed to meet the growing demand for professional-type equipment in the home, durable stainless steel is as practical as it is beautiful. However, sleek styling isn't all that sets these ovens apart. Packed with advanced performance to meet every cooking and entertaining need, they offer a wide array of timesaving features that eliminate cooking and programming guesswork. Available with 16" turntable, 2.0 cu. ft. capacity and 1200 watts of cooking power (R-530ES) or 14 1/8" turntable, 1.4 cu. ft. capacity, 1100 watts (R-430CS). Perfect on the countertop or built-in (using optional RK-51S27 or RK-51S30 stainless-look Built-in Kits for R-530ES, or RK-42S24 for R-430CS). Stainless steel makes everything look more professional, even the person using it.




R-530ES

Sophisticated Stainless Steel

R-930CS CONVECTION

Whether preparing a single meal or a lavish feast, the R-930CS Stainless Steel Convection Microwave offers a multitude of possibilities. A 4-way system with a 15 3/8" diameter porcelain enamel turntable allows Convection Baking, Broiling, Combination Roasting and Baking, plus microwave convenience – all in one space-saving design. It also has high and low racks to satisfy multiple convection or combination cooking needs. Smart & Easy™ Sensor Settings eliminate cooking blunders for 8 different food categories. CompuDefrost™ quickly thaws meats and poultry. At 900 watts of power with a 1.5 cu. ft. stainless steel interior, this oven works great as a counter-top unit or wall oven (using either an optional 27" or 30" Built-in Kit.) The R-930CS makes everything possible, whether it's baking a cake, warming a casserole, broiling a steak, roasting a turkey or just popping popcorn – proving that its beauty isn't limited to its lustrous exterior.

R-930CS



R-930CS



R-1200

It's the same old question. *Where should you place the microwave oven?* On a shelf? Built-in? Under the cabinet? Over the range? Will you need custom cabinets or a special built-in kit? How can you get the microwave off the counter? Is there an easy way to achieve the built-in look without the "custom" price? The Sharp Over the Counter (OTC) concept doesn't only represent a new idea in microwaves, it revolutionizes the entire category. It's an ideal space-saver in a crowded kitchen and a functional and sleek alternative in an open kitchen. Add one into a kitchen renovation, put a second in a wet bar addition. These microwaves work just about anywhere!

The OTC Solution—a Better Idea



Sharp R-1200 (black) and R-1201 (white) OTC microwave ovens include an entire menu of one-touch cooking options.

Sharp's Over the Counter microwaves have 1.5 cubic feet of cooking space, and each includes a 14 1/8" Sharp Carousel® turntable—the largest turntable of any microwave in its class. And with 1100 watts of power, these microwave ovens are as powerful as they are space-conscious. The Auto-Touch® Control Panel is located underneath the oven's door making it easy to see and easy to use. Available in black (R-1200 or R-1210 with Sensor) or white (R-1201 or R-1211 with Sensor). Optional Accessory Kit RK-OTC120 is ideal for keeping essential cooking utensils handy.



R-1201



R-1754



R-1750

Sharp's new 1100 watt, 1.6 cu. ft. capacity Over the Range Microwaves will quickly become everyone's favorite kitchen appliances. The Smart & Easy™ Touch Screen, an interactive back-lit LCD display, includes 24 delicious recipes with on-screen directions plus 62 automatic settings. It makes microwave cooking quick, easy and fun! A removable rack increases usable capacity. The powerful 300 CFM ventilation system has a 2-speed fan to remove smoke and steam from range-top cooking. Now available in *stainless steel*, black, white or bisque, these ovens offer the convenient, attractive features and styling you expect from Sharp.

Touch Screen Convenience

SMART & EASY TOUCH SCREEN leads you through the preparation of meals with interactive, step-by-step instructions. It guides you through the cooking process and offers 24 delicious on-screen recipes, automatic settings and helpful hints in English, Spanish and French.

6 x 6 NO-GUESS COOKING offers a selection of 6 food categories, each with a choice of 6 foods. That's 36 different foods that can be cooked by following the simple, foolproof cooking steps found on the interactive Touch Screen.

MORE FROM YOUR MICROWAVE provides quick and complete recipes for One Dish Dinners, Low Calorie Entrees, Supper Soups & Sauces and Delicious Desserts.

TURNTABLE ON/OFF setting enables you to put the extra-large 13" turntable in "OFF" position in order to use oblong dishes (up to 4-quart, 10" x 15"), making it much easier to cook for a crowd.

REMOVABLE COOKING RACK increases capacity, accommodating multiple dishes without crowding.

SENSOR COOKING automatically detects when food is done and includes 33 sensor settings for the most popular microwave foods.

DEFROST 3 + 6 includes 3 Super Defrost settings — for defrosting that's up to 50% faster — and 6 CompuDefrost™ settings that automatically defrost virtually any food category.

POWERFUL 300 CFM VENTILATION SYSTEM has 3 convenient venting options. The unit comes ready-to-recirculate with the charcoal filter provided, making it easier than ever to install, or it may be ducted to the outside, either vertically or horizontally.

CONVENIENT work light, auto night light and auto fan settings are included. Both the night light and vent fan can be programmed to turn off after a designated time.



R-1754

Sharp's new Platinum Collection uses advanced design techniques to offer simple solutions. Using Sharp's exclusive technology to conveniently display the Auto-Touch® Control Panel on the oven's door, these 1.4 cu. ft. models boast a narrow footprint – one that's nearly 5" slimmer than ordinary microwave ovens – saving valuable counter space. Now optional 24" Built-in Kits (model RK6S24 in silver; RK6K24 in black) are available for built-in applications. Consider the R-630DSA silver model with 24" built-in kit, tucked neatly beneath a countertop. Controls along the top of the unit and the side opening door handle make the microwave easier to reach and far more convenient to use.



R-630DSA installed under counter with 24" built-in kit RK6S24.

Versatile Locations

16" SHARP CAROUSEL® TURNTABLE is large enough to hold and rotate a 9" x 13" casserole. With its sleek, smaller profile and larger usable capacity, there's no other microwave like it!

COUNTERTOP OR BUILT-IN, no other full-size microwaves offer this much flexibility. Only 19 1/2" wide, the Platinum Collection fits in locations other microwave ovens won't go. With the new optional 24" wide built-in kit, these models are ideal for under-the-counter locations. Features include a convenient side-opening door handle.

AUTO-TOUCH CONTROLS across the top of the door feature Sensor Cooking, More from Your Microwave, special defrost settings, Beverage Center and Touch On (R-630DSA/DKA/DWA). Instant Action™ controls (R-610DSA/DKA/DWA) also are available.

16 SMART & EASY™ SENSOR SETTINGS automatically select optimum cooking times and power levels for popular food groups, including Popcorn and Reheat.

SUPER DEFROST automatically defrosts 1-lb. portions of ground beef and boneless chicken breasts up to 50% faster. CompuDefrost™ automatically defrosts virtually any food category.

Engaging the **CHILD LOCK** prevents unsupervised usage when parents are away.

2-LINE, 16-DIGIT INTERACTIVE DISPLAY makes communication faster and easier to read. It guides you through the cooking process and offers a variety of helpful hints in English, Spanish or French.

"MORE FROM YOUR MICROWAVE" provides 31 additional cooking / reheating / defrost selections, enabling you to defrost, cook and heat a variety of breakfast and lunch items as well as popular one-dish dinners, all automatically. Recipes are provided, of course!




R-630DSA

With these Over the Range convection microwave ovens, Sharp brings new meaning to multi-functional convenience. Now consumers can brown, bake, broil, crisp and roast with microwave, convection, combination and broil options. One oven does it all, without taking up any counterspace. They come in a choice of designer colors and finishes: R-1874 (stainless), R-1870 (black), R-1871 (white) or R-1872 (bisque). A generous 1.1 cu. ft. stainless steel interior easily handles a variety of cooking needs and 850 watts offer cooking power to spare.



R-1874

Combination Cooking



R-1871

LARGE 13" DIAMETER CERAMIC TURNTABLE offers ON/OFF flexibility to handle oversized or oblong-shaped dishes or containers.

BUILT-IN EXHAUST SYSTEM offers horizontal or vertical discharge or ductless recirculation. It comes with a hood light and powerful fan.

7-DIGIT, 2-COLOR INTERACTIVE DISPLAY spells out programming steps on a lighted easy-to-read display. CUSTOM HELP key offers helpful cooking hints and step-by-step instructions for special features such as Child Lock and Auto Start.

SMART & EASY SENSOR settings automatically determine and set cooking or reheating times and power levels for a variety of popular foods, including baked potatoes, frozen entrees, vegetables, hot dogs, bacon and fish/seafood.

COMPU BROIL®, **COMPU ROAST®** & **COMPU BAKE®** settings provide a new level of automatic ease. Broil a steak, roast a chicken or bake a cake to perfection at the touch of a key.

HIGH RACK is included for two-level baking.

LOW RACK may be used for baking, roasting or broiling.

It's everything anyone could want in a convection microwave oven...and more. Available in black (R-930AK), white (R-930AW) or stainless (R-930CS)*, with a stainless steel interior, these ovens may be used as countertop units, or installed as wall ovens with optional Built-in Kits. All incorporate Sharp's advanced Interactive Cooking System with a 2-Color Display that provides easy-to-follow cooking steps and programming instructions. The large 1.5 cu. ft. capacity with 15 3/8" diameter porcelain enamel turntable can easily handle a wide range of conventional and microwave cooking needs. It's the most convenient way to create everything from cakes and casseroles to steaks and roasts to potatoes and popcorn. Output power: 900 watts



R-930AK



R930AW

Convection System

74-WAY SYSTEM browns, bakes, broils, crisps. Two combination settings for roasting and baking are included. Broil key automatically preheats oven, then signals when ready.

SMART & EASY SENSOR eliminates guesswork by automatically determining microwave cooking/reheating times and setting power levels for 8 different food categories.


COMPU BROIL®, COMPU ROAST® & COMPU BAKE® automatically compute broiling, roasting and baking times/temperature settings. High and low racks satisfy multiple cooking needs.

7-DIGIT 2-COLOR INTERACTIVE DISPLAY WITH CUSTOM HELP KEY provides easy-to-read programming steps, cooking hints and special options. Many time and work-saving extras include:

SLOW COOK, LOW MIX/BAKE, HIGH MIX/ROAST, COMPU DEFROST, 10 VARIABLE POWER LEVELS, REHEAT & POPCORN SENSORS, MINUTE PLUS, TIMER.

WORKS GREAT AS A COUNTERTOP UNIT OR WALL OVEN using either an optional 27" or 30" Built-in Kit.

***PROFESSIONAL TYPE STAINLESS STEEL:** The brilliant luster and cool texture complement any kitchen, whether it's traditional, contemporary or ahead of its time. (R-930CS)
See inside cover for details.



R-930AK

R-930AW

SPECIFICATIONS

MODEL:	R-1754 R-1752 R-1751 R-1750	R-1874 R-1872 R-1871 R-1870	R-930CS R-930AK R-930AW	R-1211 R-1210 R-1201 R-1200	R-630DSA R-630DKA R-630DWA	R-530ES	R-430CS
TYPE OF OVEN/ CONTROL:	Over the Range Touch Screen Display	Over the Range Convection/Touch	Full Size Convection/Touch	Over the Counter Auto-Touch on Door	Full Size Auto-Touch on Door	Full Size Auto-Touch	Family Size Auto-Touch
OVEN CAPACITY:	1.6 cu.ft.	1.1 cu.ft.	1.5 cu.ft.	1.5 cu.ft.	1.4 cu.ft.	2.0 cu.ft.	1.4 cu.ft.
TURNTABLE DIAMETER:	13" glass Carousel Turntable	13" ceramic	15 3/8" glass porcelain enamel	14 1/8" glass	16" glass	16" glass	14 1/8" glass
OUTPUT POWER:	1100W	850W	900W	1100W	1100W	1200W	1100W
OUTSIDE DIMENSIONS (W, H, D):	29 15/16" x 16 3/8" x 16 7/8"	29 15/16" x 16 11/32" x 15 9/32"	24 5/8" x 14 7/8" x 18 3/4"	23 7/8" x 14 1/16" x 15 9/16"	19 1/2" x 14" x 20 5/8"	24" x 13 3/8" x 19 7/8"	21 11/16" x 12 3/8" x 17 3/8"
SENSOR:	Yes- 33 settings	Yes- 12 settings	Yes- 10 settings	R-1210/11: Yes- 11 settings	Yes- 16 settings + More from Your Microwave	Yes- 13 settings	Yes- 13 settings + More from Your Microwave
INTERACTIVE DISPLAY:	Large LCD Screen 10 lines- 26 characters	Yes- 7 digit	Yes- 7 digit	R-1210/11: 7-digit R-1200/01: 5 digit	Yes- 2 line 16 digit	Yes- 2 line 12 digit	Yes- 2 line 16 digit
AC POWER REQUIRED:	1.45kW, 13A	1.64kW, 13.2A	1.55kW, 13A	1.53kW, 13.0A	1.65kW, 14A	1.65kW, 13.8A	1.55kW, 13.3A
COLOR:							
White	R-1751	R-1871	R-930AW	R-1211, R-1201	R-630DWA		
Black	R-1750	R-1870	R-930AK	R-1210, R-1200	R-630DKA		
Silver					R-630DSA		
Bisque	R-1752	R-1872					
Stainless	R-1754 stainless front; black cabinet	R-1874	R-930CS stainless door; silver painted cabinet			R-530ES stainless door; silver painted cabinet	R-430CS stainless door; silver painted cabinet
UPC CODES:	R-1754:074000638495 R-1752:074000638488 R-1751:074000638471 R-1750:074000638464	R-1874:074000610910 R-1872:074000611023 R-1871:074000610163 R-1870:074000610156	R-930CS:074000637870 R-930AW:074000606043 R-930AK:074000606036	R-1211-074000610415 R-1210-074000610408 R-1201-074000610347 R-1200-074000610330	R-630DSA:074000608863 R-630DKA:074000608849 R-630DWA:074000608856	R-530ES:074000639652	R-430CS:074000637474
Optional Accessories: (Available at Extra Cost)	RK-230 Charcoal Filter for non-ducted installations†	RK-220 Charcoal Filter for non-ducted instal- lations†	RK-66WB (white) RK-66A (black) RK-93527 (stainless look) RK-93530 (stainless look) Trim Kit for built-in installations†	RK-OTC120: 2 brushed stainless steel accessory bars with 8 custom S hooks	RK6524 (silver) RK6K24 (black) Trim Kit for built-in installations†	RK-51527 (stainless look) RK-51530 (stainless look) Trim Kit for built-in installations†	RK-42524 Trim Kit for built-in installations†


All Sharp Microwave Ovens require a minimum 15 amp circuit. Design and specifications subject to change without notice. †Refer to Operation Manual for installation recommendations.

The diagram illustrates the required cutout dimensions for a Sharp microwave oven built-in kit. It shows a side view of the microwave being installed into a cabinet or wall opening. Dimensions are labeled as follows: A is the height of the opening; B is the width of the opening; C is the depth of the opening; D is the height of the microwave; E is the width of the microwave; F is the depth of the microwave; G is the distance from the left side of the opening to the center of the microwave; H is the distance from the right side of the opening to the center of the microwave; and I is the total width of the opening. Two wooden supports are shown, one on each side of the microwave, to provide additional support. A note indicates that these wooden supports are not included in the kit.

Your Sharp Microwave Oven can be built into your kitchen wall or cabinet using the appropriate Sharp Built-in Kit. Complete hardware and easy-to-follow instructions are included. Prepare cabinet or wall opening according to the illustration at left, providing access to a separate 3-pronged, 120V AC outlet, 15 amps. or larger.

	A	B	C	D	E	F	G	H	I
RK-42524	17 1/8"	23 11/16"	15 13/16" ± 1/8"	—	not used	—	—	22 3/16" ± 1/8"	min. 19 1/4"
RK-66A, RK-66WB	19 7/8"	26 7/8"	17 1/8" (+ ht. of wood)	17 1/8" actual 1 9/16" x 1 9/16" x 15"	nominal 2" x 2"; actual 1 9/16" x 1 9/16" x 15"	15"	18 3/8" ± 1/8"	25 1/4" ± 1/8"	min. 19 1/2"
RK-93527	20 1/8"	26 7/8"	17 1/8" (+ ht. of wood)	17 1/8" actual 1 9/16" x 1 9/16" x 15"	nominal 2" x 2"; actual 1 9/16" x 1 9/16" x 15"	15 5/8"	18 3/8" ± 1/8"	25 1/4" ± 1/8"	min. 19 1/2"
RK-93530	20 1/8"	29 7/8"	17 1/8" (+ ht. of wood)	17 1/8" actual 1 9/16" x 1 9/16" x 15"	nominal 2" x 2"; actual 1 9/16" x 1 9/16" x 15"	15 5/8"	18 3/8" ± 1/8"	28 1/4" ± 1/8"	min. 20 1/8"
RK-51527	18 1/8"	26 11/16"	16 7/8" ± 1/8"	—	not used	—	—	24 1/2" ± 3/16"	min. 20"
RK-51530	18 1/8"	29 11/16"	16 7/8" ± 1/8"	—	not used	—	—	24 1/2" ± 3/16"	min. 20"
RK6524, RK6K24	19 7/8"	23 1/2"	18 3/16" ± 1/8"	16 1/2"	nominal 2" x 2"; actual 1 9/16" x 1 9/16"	16 1/2"	14 1/16" ± 1/8"	22 1/16" ± 1/8"	min. 21 1/16"

To receive the most current specifications, call Dimension Express at (702) 833-3600 from a fax machine. Enter code 9026 for instructions and a directory of Sharp microwave oven products.



LIMITED WARRANTY (R-930AW, R-930AK, R-930CS, R-530ES, R-430CS, R-630DSA, R-630DKA, R-630DWA): 5 years on magnetron tube, 1 year on all other parts, 1 year on related labor and carry in service.*
See Operation Manual or your dealer for complete details.
*1 year in-home service will be provided when built in using applicable Sharp Built-in Kit.

LIMITED WARRANTY (R-1754, R-1752, R-1751, R-1750, R-1211, R-1210, R-1201, R-1200): 7 years on magnetron tube, 1 year on all other parts, 1 year on related labor and in-home service.
See Operation Manual or your dealer for complete details.

LIMITED WARRANTY (R-1874, R-1872, R-1871, R-1870): 7 years on magnetron tube, 2 years on all other parts, 2 years on related labor and in-home service.
See Operation Manual or your dealer for complete details.

SHARP | be sharp™

Sharp Electronics Corporation
Sharp Plaza, Mahwah, NJ 07430-2135
For more information call: 1-800-BE-SHARP

www.sharppusa.com
©2002 Sharp Electronics Corporation